Please type abus sign (+) inside this box +

AF/3637

Please type actus sign (+) inside this box + PTO/SB/21 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number 09/395,106

Filing Date September 14, 1999

First Named Inventor Westhoff et al.

Group Art Unit 3637

Examiner Name Tran A, Phi Dieu N

Attorney Docket Number POL-PT010.1

		ENCLOSURES (check	all that apply)				
X Fee Transmittal For	m	Assignment Papers (for an Application)	After Allowance Communication to Group				
✗ Fee Attached	i .	Drawing(s)	Appeal Communication to Board of Appeals and Interferences				
Amendment / Reply		Licensing-related Papers	Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)				
After Final		Petition	Proprietary Information				
Affidavits/de	claration(s)	Petition to Convert to a Provisional Application	Status Letter				
Extension of Time Request		Power of Attorney, Revocation Change of Correspondence Address	Other Enclosure(s) (please identify below):				
Express Abandonment Request		Terminal Disclaimer Request for Refund					
Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53		CD, Number of CD(s)					
		Remarks	RECEIVED JAN 2 7 2003				
			GROUP 3600				
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT							
Firm or	Louis Weinstein Reg. No. 20,477						
Individual name	Volpe and Ko	enig, P.C.					
Signature	La West						
Date	January 13, 2	2003					

20

PTO/SB/17 (01-03)

Approved for use through 01/31/2003. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FÉETRANSMITTAL for FY 2003

Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

Signature

TOTAL AMOUNT OF PAYMENT (\$) 160.00

Complete if Known						
Application Number	09/395,106					
Filing Date	September 14, 1999					
First Named Inventor	Westhoff et al.					
Examiner Name	Tran A, Phi Dieu N					
Art Unit	3637					
Attorney Docket No.	POL-PT010.1					

Date

January 13, 2003

METHOD OF PAYMENT (check all that apply)		FEE CALCULATION (continued)					
Check Credit card Money Other None		3. A	3. ADDITIONAL FEES				
Order Order			Entity	Smal	Entity	!	
Deposit Account:		Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
Account Number 22-0493		1051	130	2051	65	Surcharge - late filing fee or oath	
Deposit Account Volpe and Koeni	g, P.C.	1052	50	2052	25	Surcharge - late provisional filing fee or cover sheet	
Name The Commissioner is authorized to: (check all that apply)		1053	130	1053	130	Non-English specification	
Charge fee(s) indicated below Credit any overpayments		1812	2,520	1812	2,520	For filing a request for ex parte reexamination	
Charge any additional fee(s) during the pende	Charge any deficiencies Charge any deficiencies		920*	1804	920*	Requesting publication of SIR prior to Examiner action	
Charge fee(s) indicated below, except for the filing fee		1805	1,840*	1805	1,840*	Requesting publication of SIR after Examiner action	
to the above-identified deposit account.		1251	110	2251	55	Extension for reply within first month	
FEE CALCULATION		1252	410	2252		Extension for reply within second month	
1. BASIC FILING FEE		1253	930	2253	465	· ·	
Large Entity Small Entity Fee Fee Fee Fee Description	Fee Paid		1,450	2254	725	Extension for reply within fourth month	
Code (\$) Code (\$)				2255	985	Extension for reply within fifth month	
1001 750 2001 375 Utility filing fee		1255				, ,	
1002 330 2002 165 Design filing fee		1401	320	2401	160		160.00
1003 520 2003 260 Plant filing fee		1402	320	2402	160	Filing a brief in support of an appeal	100.00
1004 750 2004 375 Reissue filing fee		1403	280	2403	140	•	\vdash
1005 160 2005 80 Provisional filing fe	e		1,510		1,510		
SUBTOTAL (1)	(\$) -0-	1452	110	2452	55	Petition to revive - unavoidable	-
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE		1453	1,300	2453	650	Petition to revive - unintentional	<i>-</i>
F	ee from	1501	1,300	2501	650	Utility issue fee (or reissue)	
	below Fee Paid	1502	470	2502	235	Design issue fee	
	=	1503	630	2503	315	Plant issue fee	
Claims = X Multiple Dependent		1460	130	1460	130	Petitions to the Commissioner	
Multiple Dependent		1807	50	1807	50	Processing fee under 37 CFR 1.17(q)	
Large Entity Small Entity	.	1806	180	1806	180	Submission of Information Disclosure Stmt	
Fee Fee Fee Fee Fee Descripti Code (\$) 1202 18 2202 9 Claims in excess	_	8021	40	8021	40	Recording each patent assignment per property (times number of properties)	<u>u</u>
	ms in excess of 3	1809	750	2809	375	Filing a submission after final rejection (37 CFR 1.129(a))	
···· · · · · · · · · · · · · · · · ·	ent claim, if not paid	1810	750	2810	375	For each additional invention to be	
1204 84 2204 42 ** Reissue indep	endent claims					examined (37 CFR 1.129(b))	
over original p		1801	750	2801	375	Request for Continued Examination (RCE)	
1205 18 2205 9 ** Reissue claim and over origin	s in excess of 20 al patent	1802	900	1802	900	Request for expedited examination of a design application	
SUBTOTAL (2) (\$) -0-		Other fee (specify)					
SUBTOTAL (2) (\$) -U- **or number previously paid, if greater; For Reissues, see above		*Redu	iced by	Basic	Filing F	ee Paid SUBTOTAL (3) (\$) 1	60.00
or number promotely parts, if greater, ver remote of							
SUBMITTED BY (Complete (if applicable) Name (Print Trans) Registration No. 20 477 Telephone 215 ECR C400							
Name (Print/Type) Ouis V	Veinstein		.cyisii a		"	20.477 Telephone 215-568	⊀-6400

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

9

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

#18 | 1/29/63. | PATENT

HE UNITED STATES PATENT AND TRADEMARK OFFICE

In the **PATENT APPLICATION** of:

Westhoff et al.

Application No.: 09/395,106

Confirmation No.: 5428

Filed:

September 14, 1999

For: MANHOLE INSERT FOR

MANUFACTURE OF A CAST MEMBER AND

TO PROVIDE A STEP INSERT HAVING

INCREASED STRUCTURAL AND HOLDING

STRENGTH

Group:

3637

Examiner:

Tran A, Phi Dieu N

Our File:

POL-PT010.1

Date:

January 13, 2003

APPEAL BRIEF

Box AF Commissioner for Patents Washington, D.C. 20231 RECEIVED
JAN 2 7 2003
GROUP 3600

Sir:

Further to the November 12, 2002 Notice of Appeal, Applicants hereby submit this Appeal Brief.

01/24/2003 MBIZUNES 00000122 09395106


01 FC:2402

160.00 DP



TABLE OF CONTENTS

ITEM	ITEM			
(1)	REAL PARTY IN INTEREST			
(2)	RELATED APPEALS AND INTERFERENCES	3		
(3)	STATUS OF CLAIMS	3		
(4)	STATUS OF THE AMENDMENTS	3		
(5)	SUMMARY OF THE INVENTION	4		
(6)	ISSUES	4		
(7)	GROUPING OF CLAIMS	5		
(8)	ARGUMENT	5-8		
(9)	CONCLUSION	9		
APPENDIX A – Pending Claims				



(1) REAL PARTY IN INTEREST

The real party in interest is the assignee of record, POLY-TEC PRODUCTS, INC.

(2) RELATED APPEALS AND INTERFERENCES

No other appeals or interferences are known to Applicant which will directly affect or be directly affected by or have a bearing on the Board's decision in the present appeal.

(3) STATUS OF THE CLAIMS

The application contained claims 1-45.

Claims 1-20, 27-29, 37-40 and 42-44 have been cancelled.

Claims 30-36 have been allowed.

Claims 21-26, 27 and 1 to 45 have been rejected.

Claims 21-26, 41 and 45 have been appealed.

(4) STATUS OF THE AMENDMENTS

Applicant has filed an amendment after the Final Rejection canceling claims 27 and 42-44 and amending claim 41 and a supplemental amendment after the Final Rejection amending claims 21 and 41 and canceling claim 45. The amendment after Final has been entered.

(5) SUMMARY OF THE INVENTION

An insert 60' (Figs. 6, 7) has at flange 60f at one end lying in a plane diagonal to a longitudinal axis CL (Fig. 6) and flange 60d at another end lying in a plane perpendicular to the longitudinal axis CL. The diagonally aligned flange is capable of being aligned with an opening 50b in a mold member 50 to prevent cast material from seeping out of the mold assembly. Either end of the insert may have a diagonally aligned flange as shown by Figures 7 and 8. A pin 54 (Fig. 7) may be used for insertion of the insert. See specification page 20, line 19 to page 22, line 19.

(6) ISSUES

- A. Are claims 21, 26 and 41-44 patentable over Brooks under section 102(b).
- B. Are claims 21-26, 45 and 46 unpatentable over Brooks in view of Summerlin et al. under Section 103(a).
- C. Is claim 27 patentable over Ditcher 3974615, in view of Peacock and Sawdon (6200059).

(7) GROUPING OF CLAIMS

Claims 21-26 may be grouped together.

Claims 41-45 may be grouped together.

Claim 27 is not grouped with claims 21-26 or claims 41-45

(8) ARGUMENT

Claims 21-26 and 41-44 have been rejected under 35 U.S.C. §102(b) as

anticipated by Brooks. This rejection is respectfully traversed.

Claim 21 recites "one of the open end and a closed end having a flange lying in a

plane diagonally aligned with a longitudinal axis of said housing." Support for this

language can be found, for example, in the specification at page 24, lines 16-19.

The definition of the word "plane" is found in Webster's Third New International

Dictionary, which recites a plane as "a surface such that the straight line that joins

any two of its points lies wholly in that surface: A two-dimensional extent of zero

curvature: A surface any intersection of which by a like surface is a straight line.

Definition "b" states "a flat or level material surface < an incline ~ > ".

Making reference to Brooks there is taught therein a flange 2 shown in both

Figs. 1 and 2, which, in the right-hand column of the specification at lines 64-66 the

"flanged inner end of the socket" is described as "frusto - conical and of considerable

diameter". It is clear from the description of flange 2 of Brooks that the frusto - conical

flange 2 clearly does not lie in a plane since it is a conical surface.

The Brooks' socket is used in a different application from that of the present

invention. Figs. 1 and 2 show that the Brooks' socket is mounted to a concrete form by

- 5 -

the use of nails or other fastening means to secure the socket to a form which, it should

be noted, has no opening. The concrete is then poured into the form.

The present invention, and specifically the embodiment shown in Fig. 7 has a

diagonally aligned flange 60f which serves to cover an opening in a curved, inner mold

member 50 to protect cast material from seeping through the opening. Similarly, in

the embodiment shown in Fig. 8 the diagonally aligned flange 60d' substantially covers

an opening 56b in a curved mold member 56 to prevent seepage of cast material from

the mold assembly through the opening.

Brooks fails to recognize the problem recognized by the present invention and

thus fails to teach a solution for this problem. The frusto - conical flange 2 of Brooks

has the function of affording "ample anchorage to the socket, thus resisting withdrawal

or displacement from or in the concrete mass." See the specification of Brooks, right-

hand column, lines 66-68. The flange 2 is embedded in the cast material. Neither of

the flanges 2 or 6 are employed to seal an opening. Flange 6 is secured to a mold

member (unnumbered) by nails (also unnumbered).

In view of the foregoing comments it is submitted that claim 21 patentably

distinguishes over Brooks and reconsideration and allowance of claim 21 is earnestly

solicited.

- 6 -

Applicant: Westhoff et al.

Application No.: 09/395,106

Claim 41, as amended to include the limitations of claim 44 is also deemed to

patentably distinguish over Brooks.

Claims 22-26 and 45 all depend from claim 21 or from a claim which depends

from claim 21 and hence are deemed to patentably distinguish over Brooks for the

same reasons set forth hereinabove.

Claims 21-26, 45 and 46 have been rejected under 35 U.S.C. §103(a) is

unpatentable over Brooks in view of Summerlin et al. This rejection is respectfully

traversed. Brooks, as was pointed out hereinabove, fails to teach or even remotely

suggest a flange which lies in a plane diagonally aligned relative to the longitudinal

axis of the insert.

Summerlin is relied upon as teaching internal projections having a tapering

cross section as defined by a first surface diagonally aligned with the longitudinal axis

and facing an open end and a second surface perpendicular to said longitudinal axis

and facing another end. Summerlin teaches a socket 11 having an enlarged head 15

and lined with a deformable inner liner 14 and thus fails to teach an insert which has

a housing whose interior surface is provided with projections as opposed to being

provided with a deformable liner, which will generally assume the configuration of the

member pressed into the deformable liner, Summerlin is also lacking in the teachings

not found in Brooks, namely a lack of teaching of a flange lying in a plane which is

- 7 -

diagonally aligned to a longitudinal axis of the insert and in view thereof, it is

submitted that Summerlin fails to provide the teaching lacking in Brooks and that

claims 21-26, 45 and 46 patentably distinguish thereover.

Claim 27 has been rejected under 35 U.S.C. §103(a) as unpatentable over

Ditcher '615 in view of Peacock and Sawdon (patent '059). In view of the fact that

claim 27 has been canceled without prejudice to applicant it is submitted that this

rejection is now moot.

- 8 -

(9) CONCLUSION

Claims 21-26 and 41 are patentable over Brooks for the reasons set forth above.

Claims 21-26, and 45 are patentable over Brooks in view of Summerlin for the reasons set forth above.

Respectfully submitted,

Westhoff et al.

Louis Weinstein

Registration No. 20,477

(215) 568-6400

Volpe and Koenig, P.C. Suite 400, One Penn Center 1617 John F. Kennedy Boulevard Philadelphia, PA 19103

LW/bbf Attachment

APPENDIX A

(PENDING CLAIMS OF U.S. PATENT APPLICATION NO. 09/395,106)

21. (Three times Amended) An insert adapted to be embedded in a cast member for force-fittingly receiving a leg portion of a step, said insert being comprised of:

a hollow, substantially cylindrical-shaped elongated housing having an open end and a closed end;

one of the open end and the closed end having a flange lying in a plane diagonally aligned with a longitudinal axis of said housing;

another one of the open end and the closed end having a flange lying in a plane perpendicular to said longitudinal axis;

an interior surface of said housing having a portion thereof being provided with a plurality of projections arranged at spaced intervals and extending radially inward;

each of the plurality of projections having a tapering cross-section defined by a first surface diagonally aligned with the longitudinal axis and facing the open end and a second surface perpendicular to said longitudinal axis and facing the closed end.

22. The insert of claim 21, further comprising a plurality of ears integrally joined at the open end of said housing and projecting away from the housing;

said ears being adapted to flex when a force is applied thereto;

each ear having a hooked-shaped configuration and cooperating with a flange adjacent said open end to embrace a marginal portion surrounding an opening in a support member for retaining the insert on the support member.

- 23. (Amended) The insert of claim 22 wherein said flange at said open end covers said opening to prevent seepage therethrough.
- 24. (Amended) The insert of claim 21 wherein said housing is provided with a second plurality of flanges extending radially outwardly from said housing and spaced along the housing for retaining the insert in place when embedded in a cast member.
- 25. (Thrice Amended) The insert of claim 21 wherein said closed end has a flange extending radially outward therefrom to seal an opening in a mold core preparatory to insertion of the insert into a cast material.
- 26. The insert of claim 21 wherein a portion of said housing adjacent to said closed end and said closed end has a thickness which is chosen to provide additional

structural strength to withstand forces encountered by said insert when injected into a

cast material and also to regulate cycle time.

An insert assembly adapted to be embedded in a cast member for force-30.

fittingly receiving a leg portion of a step, said insert assembly being comprised of:

first and second members adapted to be telescopingly mounted to one another;

said first member being a hollow, substantially cylindrical-shaped elongated

housing having first and second open ends and an integral annular flange intermediate

said first and second ends, said flange being diagonally aligned to a longitudinal axis of

said first member;

said first member being slotted on opposite sides of said flange to enable said

member to yield and flex when pressed inwardly;

said second member being a hollow, substantially cylindrical-shaped elongated

housing having a first closed end and a second open end;

said open end of said second member being telescopingly mounted upon one end

of said first member, whereby the second member forces the end of the first member

inserted into the open end of said second member to flex inwardly, to provide a snug

force-fit therebetween.

- 12 -

31. The insert assembly of claim 30 wherein said second member is provided

with a plurality of outwardly extending integral flanges arranged at spaced intervals

therealong to enhance embedment of the second member in a cast member.

32. The insert assembly of claim 30 wherein the closed end of said second

member is provided with an annular flange lying in a plane diagonally aligned with a

longitudinal axis of said second member.

33. The insert assembly of claim 30 wherein an interior surface of said second

member has a portion thereof being provided with a plurality of annular projections

extending radially inward; and

each projection having tapering cross-section defined by a first surface

diagonally aligned with and longitudinal axis and facing the open end and a second

surface perpendicular to said closed end.

34. The insert assembly of claim 30 wherein said first member is provided

with score areas adjacent one side of said diagonally-aligned flange to facilitate

breaking away of the first member from said second member.

35. The insert assembly of claim 30 wherein said first member is provided with a plurality of outwardly directed annular flanges for gripping an interior surface of said second member, the surfaces of said flanges being inclined so that it requires

less force to telescopingly mount the second member onto the first member than is

required to pull the first and second members apart.

36. The insert assembly of claim 30 wherein said second member is provided

with an inwardly directed helical annular flange for gripping an exterior surface of said

first member, the surface of said helical flange being inclined so that it requires less

force to telescopingly mount the second member onto the first member than is required

to pull the first and second members apart, said helical annular flange also serving to

form a snug press-fit with a leg of a step member insertable therein.

41. (Amended) An insert which is embedded in a cast member for force-

fittingly receiving a leg portion of a step, said insert being comprised of:

a hollow, substantially cylindrical-shaped, elongated housing having a generally

smooth cylindrical outer surface and having an open end and a closed end;

one of said ends having a flange lying in a plane perpendicular to a longitudinal

axis of said housing; and

an interior surface of said housing having a portion thereof provided with a plurality of annular inwardly projecting spaced apart projections; and

9

said closed end having an exterior surface with at least a portion of the exterior surface lying in a plane being inclined relative to said longitudinal axis.

45. The insert of claim 22 wherein said flange at said closed end covers said opening to prevent seepage therethrough.